

4



3

2

1

B

B




A

A

A

A

<p>This drawing and the information hereon are the property of Skills Canada and may be used by only Skills Canada. All rights reserved under copyright laws ©</p>	<p>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOL ON ANGLE <math>\pm 1^\circ</math> TOL ON FRACTION <math>\pm 1/32</math> X.X <math>\pm 0.03</math> X.XX <math>\pm 0.01</math> X.XXX <math>\pm 0.005</math> INTERPRET DIM AND TOL PER ASME Y14.5M-1994 BREAK ALL CONERS R1/64 FILLETS R1/32</p>	<p>DRAWN Phillip Townsend 12/19/2011</p>				
		<p>CHECKED</p>				<p>TITLE Lathe Rotor</p>
		<p>QA</p>	<p>SIZE</p> <p><b>B</b></p>	<p>COURSE CODE</p> <p><b>NAT-12</b></p>	<p>DWG NO</p> <p><b>NSML01</b></p>	
		<p>MFG</p>	<p>HARDNESS</p> <p>163 Bhn</p>	<p>SCALE NONE</p>		
<p>APPROVED</p>	<p>MATERIAL</p> <p>12L14 CD</p>	<p>SIZE</p> <p><math>\varnothing 4" \times 1 \frac{11}{16}"</math></p>	<p>SHEET 1 OF 1</p>			

